

THE WORLD'S ONLY ELECTRONIC SKI DAMPENING SYSTEM

EMC - ENERGY MANAGEMENT CIRCUIT
REDUCING NEGATIVE VIBRATIONS SO YOU CAN FULLY TRUST
THE SKI AND FOCUS ONLY ON YOUR OWN PERFORMANCE











ACCESSIBLE PERFORMANCE



EATURING EMC TECHNOLOGY UP FRONT AND RACE DNA FROM HEAD'S WORLDCUP REBELS THROUGHOUT THE NEW RACE PERFORMANCE RANGE IS YOUR GATEWAY TO THE WORLD OF SPEED. EASY TO HANDLE, GREAT SKIABILITY AND THE AURA OF RACING. WHAT MORE DO YOU NEED?



EMC F





RACE PERFORMANCE

ACCESSIBLE PERFORMANCE

The world of racing is big. And in 22/23 we broaden the horizon for the whole racing world. Easy to handle, great skiability and the aura of racing. That's all you need.


FEATURES



TIP & TAIL

Updated Tip and Tail design based on a proven sidecut, including an integrated tip.

WORLDCUP SANDWICH CAP CONSTRUCTION



THE RACE PERFORMANCE LINE

WORLDCUP REBELS e.XSR







WORLDCUP REBELS E-SPEED PRO

The race truly is on with this powerful e-Speed Pro: for race enthusiasts.

WORLDCUP REBELS E-RACE PRO

Versatility found its new best friend in the Worldcup Rebels e-Race Pro.

GRAPHENE

ARTICLE NUMBER

313222

PRODUCT FEATURES

PRODUCT DETAILS

LENGTH

SIDECUT

RADIUS

PLATE

BINDING

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

170/175/180/185

18,0 @ Length 180

118/68/99 @ Length 180

RACEPLATE WCR 14 Short

100825 FREEFLEX ST 16 Brake [A] 85 mm

ARTICLE	NUMBER
313252	

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

PRODUCT DETAILS

160/165/170/175/180	
121/68/102 @ Length 170	
14,4 @ Length 170	
RACEPLATE WCR 14 Short	
100825 FREEFLEX ST 16 Brake [A] 85 mm	
	121/68/102 @ Length 170 14,4 @ Length 170 RACEPLATE WCR 14 Short







WORLDCUP REBELS E-SPEED

For experienced skiers who have a need for speed.

WORLDCUP REBELS E-RACE

The perfect race ski for every day, all day.

WORLDCUP REBELS E-SL

The e-SL is truly the ultimate short-turn machine.

ARTICLE NUMBER

313242

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

PRODUCT DETAILS

LENGTH	165/170/175/180/185
SIDECUT	118/68/99 @ Length 180
RADIUS	18,0 @ Length 180
PLATE	RACEPLATE EVO 14
BINDING	100850 FREEFLEX 14 GW
	Brake [D] 85 mm

ARTICLE NUMBER

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

PRODUCT DETAILS

LENGTH	160/165/170/175/180
SIDECUT	121/68/102 @ Length 170
RADIUS	14,4 @ Length 170
PLATE	RACEPLATE EVO 14
BINDING	100850 FREEFLEX 14 GW
	Brake [D] 85 mm

ARTICLE NUMBER

313202

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

PRODUCT DETAILS

LENGTH	150/155/160/165/170
SIDECUT	123/68/108 @ Length 160
RADIUS	11,5 @ Length 160
PLATE	RACEPLATE EVO 14
BINDING	100850 FREEFLEX 14 GW
	Brake [D] 85 mm







WORLDCUP REBELS E.SLR

The Worldcup Rebels e.SLR is a smooth and responsive race entry slalom ski.

WORLDCUP REBELS E.GSR

The Worldcup Rebels e.GSR is a GSentry race ski with a smooth, easy-to-handle feel.

WORLDCUP REBELS E.XSR

With the DNA of the Rebel's line, the Worldcup Rebels e.XSR offers race-inspired performance in an easy-to-handle package.

NEW

ARTICLE NUMBER

313362

PRODUCT FEATURES

EMC F, Worldcup Sandwich Cap Construction, Race structured UHM C base, Rebel Camber

PRODUCT DETAILS

LENGTH	149/156/163/170
SIDECUT	123/66/107 @ Length 163
RADIUS	11,2 @ Length 163
PLATE	LYT PR Base
BINDING	100885 PR 11 GW Brake [G]
	78 mm

ARTICLE NUMBER PRODUCT FEATURES

EMC F, Worldcup Sandwich Cap Construction, Race structured UHM C base, Rebel Camber

PRODUCT DETAILS

313382

LENGTH	156/163/170/177
SIDECUT	120/68/101 @ Length 170
RADIUS	14,4 @ Length 170
PLATE	LYT PR Base
BINDING	100885 PR 11 GW Brake [G]
	78 mm

NEW ARTICLE NUMBER 313412

PRODUCT FEATURES

EMC F, Sandwich Cap Construction, Race structured UHM C base, Rebel Camber

PRODUCT DETAILS

LENGTH	149/156/163/170/177	
SIDECUT	125/72/109 @ Length 170	
RADIUS	12,9 @ Length 170	
PLATE	LYT PR Base	
BINDING	100885 PR 11 GW Brake [G]	
	78 mm	