



WCR E-SL REBEL FIS

ART.NUMBER	LENGTH	SIDECUT	RADIUS
313024	151 (not FIS conf.)	111 / 65 / 96	11,9
313084	156	114 / 66 / 100	12,4
	158	114 / 66 / 104	12,0
	165	120 / 67 / 103	12,5
	168	119 / 68 / 103	12,8

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, FIS approved (except 313024), Infra-Red Base Waxing

PLATE	RACEPLATE WCR 14 SHORT
BINDING	100900 FREEFLEX ST 20 X RD Brake [A] 85 mm
	100902 FREEFLEX ST 16 X RD Brake [A] 85 mm
	100904 FREEFLEX ST 16 Brake [A] 85 mm
	100905 FREEFLEX ST 14 Brake [A] 85 mm



WCR E-GS REBEL FIS

ART.NUMBER	LENGTH	SIDECUT	RADIUS
313003	183	99 / 65 / 81	30,5
	188	98 / 65 / 84	31,0
	193	101 / 65 / 83	30,0

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, FIS approved for Worldcup and European Cup and all Continental Cup, Infra-Red Base Waxing

PLATE	RACEPLATE WCR 14 SHORT
BINDING	100900 FREEFLEX ST 20 X RD Brake [A] 85 mm
	100902 FREEFLEX ST 16 X RD Brake [A] 85 mm
	100904 FREEFLEX ST 16 Brake [A] 85 mm



WCR E-GS REBEL PRO

ART.NUMBER	LENGTH	SIDECUT	RADIUS
313063	177	106 / 68 / 90	22,0
	183	104 / 68 / 89	25,4
	189	104 / 68 / 89	27,0
	191	107 / 68 / 87	28,0

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, Infra-Red Base Waxing

PLATE	RACEPLATE WCR 14 SHORT
BINDING	100900 FREEFLEX ST 20 X RD Brake [A] 85 mm
	100902 FREEFLEX ST 16 X RD Brake [A] 85 mm
	100903 FREEFLEX ST 14 X Brake [A] 85 mm
	100904 FREEFLEX ST 16 Brake [A] 85 mm

THE MASTERS' RACE WEAPON

One model in four different sizes, same wider footprint, distinguished only by its radius. Therefore we can offer a tailor made setup for each individual needs and requests.

The skis offer the same construction and technology as the FIS certified models. The big difference is the wider footprint as it delivers a less aggressive setup but full performance. The lower radius allows for easier and super manoeuvrable handling.

That would be the best characterization as the Masters rules don't follow the FIS rules.



WCR E-GS REBEL

ART.NUMBER	LENGTH	SIDECUT	RADIUS
313043/313053	176	102 / 65 / 87	23,0
313043/313053	181	102 / 65 / 86	25,0
313043	186	104 / 65 / 87	25,0
	188	102 / 65 / 85	27,5

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, Infra-Red Base Waxing

PLATE	RACEPLATE WCR 14 SHORT (313043) RACEPLATE WCR Team (313053)
BINDING	100902 FREEFLEX ST 16 X RD Brake [A] 85 mm 100903 FREEFLEX ST 14 X Brake [A] 85 mm 100904 FREEFLEX ST 16 Brake [A] 85 mm 100905 FREEFLEX ST 14 Brake [A] 85 mm



WCR E-SG REBEL

ART.NUMBER	LENGTH	SIDECUT	RADIUS
318063	202	95 / 65 / 79	40,5
318053	207 M	93,5 / 65 / 78	45,5
318043	207 W	95 / 65 / 80	42,0
318113	210	96 / 65 / 81	42,5
318033	213	95 / 65 / 79	45,0

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, FIS approved for Worldcup and European Cup and all Continental Cups, Infra-Red Base Waxing, Traction (Length 207 W, 210 and 213)

PLATE	DH RACEPLATE
BINDING	100901 FREEFLEX ST 20 X RS Brake [A] 85 mm 100902 FREEFLEX ST 16 X RD Brake [A] 85 mm



WCR E-DH REBEL

ART.NUMBER	LENGTH	SIDECUT	RADIUS
318023	210	91 / 65 / 78	50,0
318013	215	92 / 65 / 79	50,0
318003	218	92 / 65 / 80	50,0

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, FIS approved for Worldcup and European Cup and all Continental Cups, Infra-Red Base Waxing, Traction (Length 215 and 218)

PLATE	DH RACEPLATE
BINDING	100901 FREEFLEX ST 20 X RS Brake [A] 85 mm



WCR E-SG REBEL

ART.NUMBER	LENGTH	SIDECUT	RADIUS
318103	175	93 / 65 / 82	27,0
318093	185	98 / 65 / 81	30,0
318083	195	98 / 65 / 82	33,0
318073	200	97 / 65 / 81	36,0

PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Construction, RD Racing Top Sheet, Race Structured High Speed UHM C Base, Rebel Camber, FIS approved

PLATE	RACEPLATE WCR 14 SHORT
BINDING	100902 FREEFLEX ST 16 X RD Brake [A] 85 mm 100903 FREEFLEX ST 14 X Brake [A] 85 mm 100904 FREEFLEX ST 16 Brake [A] 85 mm 100905 FREEFLEX ST 14 Brake [A] 85 mm



WCR E.SL REBEL TEAM

ART.NUMBER	LENGTH	SIDECUT	RADIUS
314234	118	107 / 62 / 88	8,0
	125	109 / 62 / 90	8,5
	132	111 / 63 / 93	9,0
	139	111 / 63 / 94	10,0
	146	112 / 64 / 96	11,0
	153	112 / 64 / 97	12,0
	160	113 / 65 / 99	13,0

PRODUCT FEATURES

Graphene Worldcup Sandwich Construction, EMC F, RD Racing Top Sheet, Race Structured UHM C Base, Rebel Camber

PLATE	RACEPLATE WCR Team
BINDING	100903 FREEFLEX ST 14 X Brake [A] 85 mm
	100905 FREEFLEX ST 14 Brake [A] 85 mm
	100906 FREEFLEX 11 RACE Brake [A] 85 mm
	100921 EVO 9 GW CA Brake [D] 85 mm



NEW WCR E.GS REBEL TEAM

ART.NUMBER	LENGTH	SIDECUT	RADIUS
314004	116	100 / 62 / 80	10,0
	124	97 / 63 / 79	13,0
	132	99 / 63 / 81	14,0
	140	101 / 64 / 83	15,0
	148	102 / 64 / 85	16,0
	156	103 / 64 / 87	17,0
	164	104 / 65 / 88	19,0
	172	103 / 65 / 88	21,0

PRODUCT FEATURES


Graphene Worldcup Sandwich Construction, EMC F, RD Racing Top Sheet, Race Structured UHM C Base, Rebel Camber

PLATE	RACEPLATE WCR Team
BINDING	100903 FREEFLEX ST 14 X Brake [A] 85 mm
	100905 FREEFLEX ST 14 Brake [A] 85 mm
	100906 FREEFLEX 11 RACE Brake [A] 85 mm
	100921 EVO 9 GW CA Brake [D] 85 mm

MAKE HISTORY
WITH US



WORLD CUP
REBELS



FREEFLEX ST 20 X RD

ARTICLE NUMBER
100900 - matt black/speed blue, Brake [A] 85 mm

PRODUCT FEATURES
Stream Toe, AFD ST POM (X), Freeflex Pro, RACE PRO RD Heel

PRODUCT DETAILS
STAND HEIGHT 16 mm
DIN 10,5 - 20
WEIGHT 1575 g/pc.



FREEFLEX ST 20 X RS

ARTICLE NUMBER
100901 - matt black/speed blue, Brake [A] 85 mm

PRODUCT FEATURES
Stream Toe, AFD ST POM (X), Freeflex Pro, RACE PRO RS Heel

PRODUCT DETAILS
STAND HEIGHT 16 mm
DIN 10,5 - 20
WEIGHT 1575 g/pc.



FREEFLEX ST 16 X RD

ARTICLE NUMBER
100902 - matt black/speed blue, Brake [A] 85 mm

PRODUCT FEATURES
Stream Toe, AFD ST POM (X), Freeflex Pro, RACE PRO RD Heel

PRODUCT DETAILS
STAND HEIGHT 16 mm
DIN 10,5 - 16
WEIGHT 1575 g/pc.

RACE BINDINGS



FREEFLEX ST 14 X

ARTICLE NUMBER
100903 - matt black/speed blue, Brake [A] 85 mm

PRODUCT FEATURES
Stream Toe, AFD ST Teflon, Freeflex Pro, RACE PRO (spindle) Heel

PRODUCT DETAILS
STAND HEIGHT 16 mm
DIN 7 - 14
WEIGHT 1350 g/pc.



FREEFLEX ST 16

ARTICLE NUMBER
100904 - matt black/speed blue, Brake [A] 85 mm

PRODUCT FEATURES
Stream Toe, AFD ST Teflon, Freeflex Pro, RACE PRO Heel

PRODUCT DETAILS
STAND HEIGHT 17 mm
DIN 5 - 16
WEIGHT 1325 g/pc.



FREEFLEX ST 14

ARTICLE NUMBER
100905 - matt black/speed blue, Brake [A] 85 mm

PRODUCT FEATURES
Stream Toe, AFD ST Teflon, Freeflex Pro, NX Heel

PRODUCT DETAILS
STAND HEIGHT 17 mm
DIN 4 - 14
WEIGHT 1235 g/pc.



FREEFLEX 11 RACE

ARTICLE NUMBER

100906 - matt black/speed blue, Brake [A] 85 mm

PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, Teflon, Freeflex Pro, NX Heel

PRODUCT DETAILS

STAND HEIGHT 17 mm

DIN 3 - 11

WEIGHT 1110 g/pc.



EVO 9 GW CA

ARTICLE NUMBER

100921 - solid black/speed blue, Brake [D] 85 mm

PRODUCT FEATURES

SX Lite Toe with TRP System, Full Diagonal, AFS GW AC, SX LITE Heel

PRODUCT DETAILS

STAND HEIGHT 21 mm

DIN 2 - 9

WEIGHT 780 g/pc.



ADDITIONAL SPARE PARTS
FOR EVO 9 GW CA

To provide outstanding performance and highest stability also for our young speedstars we offer a vertical blocked slider as spare part. Please note: ONLY for Alpine TYPE C & GripWalk TYPE C ski boots.

Art. No.: 163113 - AFS SX Jr./Kid blocked (Alpine TYPE C & GW C), 1 pair



TUNING KIT ST

Art. No.: 163127

The Tuning Kit offers a variety of options to adapt the binding's stand height and ramp angle for every racer individually.

The Tuning Kit includes tuning parts for following binding models:

HEAD:

FREEFLEX ST 20 X RD

FREEFLEX ST 20 X RS

FREEFLEX ST 16 X RD

FREEFLEX ST 14 X

FREEFLEX ST 16

FREEFLEX ST 14

FREEFLEX 11 RACE



BRAKES

BRAKE CODE	BINDINGS	ART. NO.	BRAKE MODEL/STAND HEIGHT-WIDTH
[A]	FREEFLEX ST 20 X RD		
	FREEFLEX ST 20 X RS		
	FREEFLEX ST 16 X RD	163032	Power Brake ² Race PRO 16-85 [A]
	FREEFLEX ST 14 X	163033	Power Brake ² Race PRO 17-85 [A]
	FREEFLEX ST 16	163034	Power Brake ² Race PRO 18-85 [A]
	FREEFLEX ST 14	163039	Power Brake ² Race PRO wide 18-85 [A]
[D]	FREEFLEX 11 RACE		
	EVO 9 GW CA	163044	Power Brake ² LD 85 [D]

SINGLE LIFTER SETS

These lifter sets can also be used to tune the binding and boost performance.

Use the screws which are included in the lifter set.

BINDING	SINGLE LIFTER SET
FREEFLEX ST 20 X RD	162905 LIFTER SET 3MM (1 SET)
FREEFLEX ST 20 X RS	162906 LIFTER SET 5MM (1 SET)
FREEFLEX ST 16 X RD	162933 LIFTER SET 3/5MM - HEEL/TOE (1 SET)
FREEFLEX ST 14 X	162934 LIFTER SET 4/6MM - HEEL/TOE (1 SET)
FREEFLEX ST 16	163075 LIFTER SET 2/3MM - HEEL/TOE (1 SET)
FREEFLEX ST 14	163076 LIFTER SET 5/8MM - HEEL/TOE (1 SET)
FREEFLEX 11 RACE	163135 LIFTER SET 1/2 MM - HEEL/TOE (1 SET)
	163136 LIFTER SET 4/5 MM - HEEL/TOE (1 SET)
	163187 LIFTER SET 5/6 MM - HEEL/TOE (1 SET)

ADDITIONAL SPARE PARTS

162803 HEEL AFD INSERT FREEFLEX PRO (10 PAIRS)

162848 FREEFLEX PRO BACK BAND HOUSING (1 PAIR)

162862 FREEFLEX PRO LOCKING ELEMENT (1 PAIR)

163148 AFD ST TEFLON (1 PAIR)

163149 AFD ST POM (X) (1 PAIR)